

2013:

I. Dirnstorfer, H. Mähne, T. Mikolajick, M. Knaut, M. Albert, and K. Dubnack, “Atomic layer deposition of anatase TiO₂ on porous electrodes for dye-sensitized solar cells,” *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, vol. 31, no. 1, p. 01A116, 2013.

[54]

F. Ellinger, T. Mikolajick, G. Fettweis, D. Hentschel, S. Kolodinski, H. Warnecke, T. Reppe, C. Tzschope, J. Dohl, C. Carta, D. Fritsche, G. Tretter, M. Wiatr, S. D. Kronholz, R. P. Mikalo, H. Heinrich, R. Paulo, R. Wolf, J. Hübner, J. Waltsgott, K. Meißner, R. Richter, O. Michler, M. Bausinger, H. Mehlich, M. Hahmann, H. Möller, M. Wiemer, H.-J. Holland, R. Gärtner, S. Schubert, A. Richter, A. Strobel, A. Fehske, S. Cech, U. Aßmann, A. Pawlak, M. Schröter, W. Finger, S. Schumann, S. Höppner, D. Walter, H. Eisenreich, and R. Schüffny, “Energy efficiency enhancements for semiconductors, communications, sensors and software achieved in cool silicon cluster project,” *The European Physical Journal Applied Physics*, vol. 63, no. 1, p. 14402, Jul. 2013.

[55]

P. Ferrada, R. Harney, E. Wefringhaus, S. Döring, S. Jakschick, T. Mikolajick, P. Eyben, T. Hantschel, W. Vandervorst, M. Weiss, and J. Lossen, “Local Doping Profiles for Height-Selective Emitters Determined by Scanning Spreading Resistance Microscopy (SSRM),” *IEEE Journal of Photovoltaics*, vol. 3, no. 1, pp. 168–174, Jan. 2013.

[56]

A. Freese, M. Grube, A. Wachowiak, M. Geidel, B. Adolphi, S. Schmult, and T. Mikolajick, “Molecular beam deposited zirconium dioxide as a high-kappa dielectric for future GaN based power devices,” *Journal of Vacuum Science & Technology B: Microelectronics and Nanometer Structures*, vol. 31, no. 3, pp. 03C111 – 03C111–4, May 2013.

[57]

D. Friedrich, B. Schmidt, K. H. Heinig, B. Liedke, A. Mucklich, R. Hubner, D. Wolf, S. Kolling, and T. Mikolajick, “Sponge-like Si-SiO₂ nanocomposite— Morphology studies of spinodally decomposed silicon-rich oxide,” *Applied Physics Letters*, vol. 103, no. 13, pp. 131911–131911–4, Sep. 2013.

[58]

M. Grube, D. Martin, W. M. Weber, T. Mikolajick, and H. Riechert, “Structural and dielectric properties of sputtered Sr_xZr(1-x)O_y,” *Journal of Applied Physics*, vol. 113, no. 22, p. 224107, Jun. 2013.

[59]

A. Heinzig, T. Mikolajick, J. Trommer, D. Grimm, and W. M. Weber, “Dually active silicon nanowire transistors and circuits with equal electron and hole transport,” *Nano Lett.*, vol. 13, no. 9, pp. 4176–4181, Nov. 2013.

[60]

S. Knebel, S. Kupke, U. Schröder, S. Slesazek, T. Mikolajick, R. Agaiby, and M. Trentzsch, “Influence of frequency dependent time to breakdown on high-k/metal gate reliability,” *IEEE Transactions on Electron Devices*, vol. 60, no. 7, pp. 2368–2371, Jul. 2013.

[61]

M. Krupinski, A. Kasic, T. Hecht, M. Klude, J. Heitmann, E. Erben, and T. Mikolajick, “Inline-Characterization and Step Coverage Optimization of Deposited Dielectrics in DRAM Structures,” *IEEE Transactions on Semiconductor Manufacturing*, vol. 26, no. 2, pp. 253–259, May 2013.

[62]

J. Lehmann, R. Hübner, J. V. Borany, W. Skorupa, T. Mikolajick, A. Schäfer, J. Schubert, and S. Mantl, "Millisecond flash lamp annealing for LaLuO₃ and LaScO₃ high-k dielectrics," *Microelectronic Engineering*, vol. 109, pp. 381–384, Sep. 2013.

[63]

D. Martin, M. Grube, W. Weinreich, J. Müller, W. M. Weber, U. Schröder, H. Riechert, and T. Mikolajick, "Mesoscopic analysis of leakage current suppression in ZrO₂/Al₂O₃/ZrO₂ nano-laminates," *Journal of Applied Physics*, vol. 113, no. 19, p. 194103, May 2013.

[64]

D. Martin, E. Yurchuk, S. Müller, J. Müller, J. Paul, J. Sundquist, S. Slesazek, T. Schlösser, R. van Bentum, M. Trentzsch, U. Schröder, and T. Mikolajick, "Downscaling ferroelectric field effect transistors by using ferroelectric Si-doped HfO₂," *Solid-State Electronics*, vol. 88, pp. 65–68, Oct. 2013.

[65]

T. Mikolajick, A. Heinzig, J. Trommer, S. Pregl, M. Grube, G. Cuniberti, and W. M. Weber, "Silicon nanowires – a versatile technology platform," *physica status solidi (RRL) – Rapid Research Letters*, vol. 7, no. 10, pp. 793–799, Oct. 2013.

[66]

S. Müller, J. Müller, R. Hoffmann, E. Yurchuk, T. Schlösser, R. Böschke, J. Paul, M. Goldbach, T. Herrmann, A. Zaka, U. Schröder, and T. Mikolajick, "From MFM capacitors toward ferroelectric transistors: Endurance and disturb characteristics of HfO₂-based FeFET devices," *IEEE Transactions on Electron Devices*, vol. 60, no. 12, pp. 4199–4205, Dec. 2013.

[67]

S. Müller, J. Müller, U. Schröder, and T. Mikolajick, "Reliability characteristics of ferroelectric Si:HfO₂ thin films for memory applications," *IEEE Transactions on Device and Materials Reliability*, vol. 13, no. 1, pp. 93–97, Mar. 2013.

[68]

X. Ou, Y. Shuai, W. Luo, P. F. Siles, R. Kögler, J. Fiedler, H. Reuther, S. Zhou, R. Hübner, S. Facsko, M. Helm, T. Mikolajick, O. G. Schmidt, and H. Schmidt, "Forming-free resistive switching in multiferroic BiFeO₃ thin films with enhanced nanoscale shunts," *ACS Appl. Mater. Interfaces*, vol. 5, no. 23, pp. 12764–12771, Dec. 2013.

[69]

S. Pregl, W. M. Weber, D. Nozaki, J. Kunstmann, L. Baraban, J. Opitz, T. Mikolajick, and G. Cuniberti, "Parallel arrays of Schottky barrier nanowire field effect transistors: Nanoscopic effects for macroscopic current output," *Nano Res.*, vol. 6, no. 6, pp. 381–388, Jun. 2013.

[70]

C. Richter, T. Schenk, U. Schröder, and T. Mikolajick, "Film properties of low temperature HfO₂ grown with H₂O, O₃, or remote O₂-plasma," *Journal of Vacuum Science & Technology A*, vol. 32, no. 1, p. 01A117, Dec. 2013.

[71]

U. Schröder, S. Müller, J. Müller, E. Yurchuk, D. Martin, C. Adelman, T. Schlösser, R. van Bentum, and T. Mikolajick, "Hafnium Oxide Based CMOS Compatible Ferroelectric Materials," *ECS J. Solid State Sci. Technol.*, vol. 2, no. 4, pp. N69–N72, Jan. 2013.

[72]

U. Schröder, D. Martin, J. Müller, E. Yurchuk, S. Müller, C. Adelman, T. Schlösser, R. van Bentum, and T. Mikolajick, "Hafnium oxide based CMOS compatible ferroelectric materials," *ECS Trans.*, vol. 50, no. 4, pp. 15–20, Mar. 2013.

[73]

Y. Shuai, X. Ou, W. Luo, A. Mücklich, D. Bürger, S. Zhou, C. Wu, Y. Chen, W. Zhang, M. Helm, T. Mikolajick, O. G. Schmidt, and H. Schmidt, "Key concepts behind forming-free resistive switching incorporated with rectifying transport properties," *Sci. Rep.*, vol. 3, Jul. 2013.

[74]
A. Singh, H. Klumbies, U. Schröder, L. Müller-Meskamp, M. Geidel, M. Knaut, C. Hoßbach, M. Albert, K. Leo, and T. Mikolajick, “Barrier performance optimization of atomic layer deposited diffusion barriers for organic light emitting diodes using x-ray reflectivity investigations,” *Applied Physics Letters*, vol. 103, no. 23, p. 233302, Dec. 2013.

[75]
E. Yurchuk, J. Müller, S. Knebel, J. Sundqvist, A. P. Graham, T. Melde, U. Schröder, and T. Mikolajick, “Impact of layer thickness on the ferroelectric behaviour of silicon doped hafnium oxide thin films,” *Thin Solid Films*, vol. 533, pp. 88–92, Apr. 2013.

[76]
D. Zhou, J. Xu, Q. Li, Y. Guan, F. Cao, X. Dong, J. Müller, T. Schenk, and U. Schröder, “Wake-up effects in Si-doped hafnium oxide ferroelectric thin films,” *Applied Physics Letters*, vol. 103, no. 19, p. 192904, Nov. 2013.

[77]